



---

# The Digital Geographic Information Exchange Standard (DIGEST)

---

## Part 4 -Annex C ALPHABETIZED CONTENT LISTING of ALL FEATURES and ATTRIBUTES

Edition 2.1  
September 2000

*Produced and issued by the Digital Geographic Information Working Group (DGIWG)*



## ANNEX C - ALPHABETIZED CONTENT LISTING OF ALL FEATURES AND ATTRIBUTES

---

<b>Feature/Attribute</b> -----	<b>Page</b>
Absolute Ellipsoid Height Accuracy in Metres (WGS84) (AEH)	B-2
Absolute Ellipsoid Height Accuracy in Metres - High End (WGS84) (AE1)	B-1
Absolute Ellipsoid Height Accuracy in Metres – Low End (WGS84) (AE2)	B-1
Absolute Horizontal Accuracy (AAH)	B-1
Absolute Horizontal Accuracy in Meters (AHA)	B-3
Absolute Latitude Accuracy in Metres (WGS84) (ALA)	B-4
Absolute Longitude Accuracy in Metres (WGS84) (ALO)	B-4
Absolute Orthometric Height Accuracy in Metres (WGS84) (AOH)	B-5
Absolute Orthometric Height Accuracy in Metres – High End (WGS84) (AO2)	B-4
Absolute Orthometric Height Accuracy in Metres – Low End (WGS84) (AO3)	B-4
Absolute Vertical Accuracy (AAV)	B-1
Absolute Vertical Accuracy in Meters (AVA)	B-12
Access Zone (FA005)	A-35
Accuracy Category (ACC)	B-1
Accuracy of Obstruction Height Above Ground Level (AHO)	B-3
Acoustic Station (BK010)	A-28
Administrative Area (FA001)	A-35
Administrative Boundary (FA000)	A-35
US-Aerial Cableway Lines/Ski Lift Lines UK-Aerial Cableway Lines/Ski Lift Cables (AQ010)	A-10
Aerial Cableway Pylon/Ski Pylon (AQ020)	A-10
Aids to Navigation (ATN)	B-7
Air Obstruction (GB220)	A-42
Air Route Segments Length (ALN)	B-4
Air Route Segments Width (AWD)	B-12
Air Warning Light (GA065)	A-39
Aircraft Load Class (ALC)	B-4
US-Airfield UK-Airstrip (GB006)	A-40
Airfield Elevation Point (GB059)	A-41
Airfield Type (APT)	B-5
Airfield/Aerodrome elevation (ZV3)	B-198
Airport Area (GB007)	A-40
Airport Lighting (GB010)	A-40
US-Airport/Airfield UK-Airport/Airfield/Airstrip (GB005)	A-40
Airspace (GA005)	A-38
Airspace Boundary Segment (GA020)	A-38
Airspace Identification Attribute (AIA)	B-3
Airspace Use Boundary (AUB)	B-9
Airspace Use Limitations (AUL)	B-10
Airspace Use Routes (AUR)	B-11

**DIGEST Part 4**

Edition 2.1, September 2000

Annex C-Alphabetized Content Listing of all Features and Attributes

<b>Feature/Attribute</b> .....	<b>Page</b>
Airspace/Facility Operating Times (AUS)	B-12
Alkali Flats (DA006)	A-30
Amusement Park (AK030)	A-5
Amusement Park Attraction (AK020)	A-5
Anchor (BB019)	A-16
Anchor Berth (BB012)	A-16
Anchorage (BB010)	A-16
Anchorage (Complex Feature) (BB011)	A-16
Angle of Orientation (AOO)	B-5
Angle of Orientation With Greater Than 1 Degree Resolution (AO1)	B-4
Angle of Radar Reflector (ARR)	B-6
Animal Sanctuary (AL005)	A-6
Approach Surface (GA071)	A-39
Approach Surface Section Number (ASS)	B-6
US-Apron/Hardstand UK-Apron/Hardstanding (GB015)	A-40
Aqueduct (BH010)	A-24
Aqueduct Type Category (ATC)	B-6
Arcade (AQ151)	A-12
Archeological Site (AL012)	A-6
Area Coverage Attribute (ARA)	B-5
Area Coverage Attribute Hectares (ARH)	B-6
Area With Greater Than 1 Meter Squared Resolution (ARE)	B-6
Armistice Line (FA020)	A-35
Arresting Gear (GB020)	A-40
Arresting Gear Category (AGC)	B-3
Artifact Location (ZD003)	A-46
Asphalt Lake (DA005)	A-30
Assembly Plant (AE010)	A-3
Associated Hydrographic Category (AHC)	B-3
US-Athletic Field UK-Athletic Field/Sports Field/Playing Field (AK040)	A-5
ATS Route Level (ATL)	B-7
ATS Route Segment/Leg (GA010)	A-38
ATS Use Attribute (AUA)	B-7
Available Facilities (AFA)	B-2
Backshore (Precise IHO) (BA022)	A-15
Bamboo/Cane (EC010)	A-33
Bank Gradient Left (BGL)	B-20
Bank Gradient Right (BGR)	B-21
Bank Height Left (BHL)	B-21
Bank Height Left (1) (HL1)	B-67
Bank Height Left (2) (HL2)	B-67
Bank Height Left (3) (HL3)	B-67

<b>Feature/Attribute</b> .....	<b>Page</b>
Bank Height Right (BHR)	B-21
Bank Height Right (1) (HR1)	B-71
Bank Height Right (2) (HR2)	B-72
Bank Height Right (3) (HR3)	B-72
Bank Vegetation Left (BVL)	B-31
Bank Vegetation Right (BVR)	B-31
Barge Load Class (BLC)	B-21
Barren Ground (DA020)	A-30
Barrier (AP041)	A-10
Basic Encyclopedia Number (BEN)	B-15
Basin (BB022)	A-16
Bastion/Rampart/Fortification (AH010)	A-4
Beach (BA050)	A-15
Beach Indicator Type (BIT)	B-21
Beach Profile (BE050)	A-23
Beacon (BC010)	A-19
Beacon Type Category (BET)	B-15
Beacon-Daymark Relationship (BDT)	B-14
Beacon/Buoy Type Category (BTC)	B-26
Bearing and Reciprocal Category (BRR)	B-24
Bearing From Seaward (BRS)	B-24
Bearing of Object (BRG)	B-23
Below Water Bank Slope (Left) (BWL)	B-31
Below Water Bank Slope (Right) (BWR)	B-31
Benchmark (ZB020)	A-46
Berth (BB020)	A-16
Berth Identifier (BER)	B-15
Blast Barrier (GB025)	A-40
Blast Furnace (AC010)	A-2
Bluff/Cliff/Escarpment (DB010)	A-30
US-Boardwalk UK-Wooden Causeway (AQ030)	A-11
Boat Lift (BI005)	A-26
Boat Turning Basin (BI080)	A-27
Bog (BH015)	A-24
Bog Category (BOC)	B-22
Bollard (BB030)	A-16
Boom (BD123)	A-22
Botanical Garden (EA031)	A-33
US-Bottom Characteristics UK-Quality of the Bottom (BF010)	A-23
Bottom Configuration Type (BCT)	B-14
Bottom Feature (BF011)	A-23
Bottom Materials Composition (BMC)	B-21

**DIGEST Part 4**

Edition 2.1, September 2000

Annex C-Alphabetized Content Listing of all Features and Attributes

<b>Feature/Attribute</b> .....	<b>Page</b>
Bottom Return (BE029)	A-23
Bottom Return Attributes Classification (BRA)	B-22
Bottom Return Classification (BRC)	B-22
Bottom Return Identity Classification (BRI)	B-23
Bottom Return Obstacles Classification (BRO)	B-23
Bottom Return Rock Classification (BCR)	B-13
Bottom Return Seabed Inst. (BSR)	B-26
Bottom Return Track Number (BRT)	B-24
Bottom Return Wreck Classification (BRW)	B-24
Bottomline of Cliff (DB500)	A-32
US-Boundary Monument UK-Boundary Monument/Boundary Mark (ZB030)	A-46
Boundary Status Type (BST)	B-26
Breakers (BD010)	A-21
Breakline (CA026)	A-29
Breakwater (BB041)	A-17
Breakwater/Groyne (BB040)	A-16
Bridge Design Category (BDC)	B-14
Bridge Opening Type (BOT)	B-22
Bridge Pier (AQ056)	A-11
Bridge Reference Number (BRN)	B-23
Bridge Serial Number (BSN)	B-25
Bridge Span (AQ045)	A-11
Bridge Span Category (BSP)	B-25
Bridge Span Mobility (BSM)	B-25
Bridge Superstructure (AQ050)	A-11
Bridge Tower/Bridge Pylon (AQ055)	A-11
Bridge/Bridge Superstructure Category (BSC)	B-24
Bridge/Overpass/Viaduct (AQ040)	A-11
Broadcast Frequency (BRF)	B-23
Broadcast Frequency (2) (BR2)	B-22
Brush/Undergrowth Density Code (BUD)	B-28
Bucket Elevator (AF021)	A-3
Building (AL015)	A-6
Building Function Category (BFC)	B-17
Building Superstructure Addition (AL018)	A-6
Built-Up Area (AL020)	A-6
Built-Up Area Classification (BAC)	B-13
Buoy (BC020)	A-19
Buoy Type Category (BUT)	B-28
US-Burner UK-Flare Stack (AB020)	A-1
Bypass Condition Category (BCC)	B-13
Cabin (AL101)	A-7

<b>Feature/Attribute</b> .....	<b>Page</b>
Cable (AT005)	A-13
Cable Classification (CAB)	B-35
Cadastral Constructions (IA050)	A-43
Cadastral Control Points (ID010)	A-43
Cairn (AL025)	A-7
US-Caisson UK-Dry Dock Gate (BI042)	A-27
Calendar Date Type (CDP)	B-37
Calendar Date Value (CDV)	B-38
Calling-In Point (BB050)	A-17
Calvary Cross (AL116)	A-8
Camp (AI030)	A-4
Campground/Campsite (AK060)	A-5
Canal (BH020)	A-24
Canal Route (FC168)	A-37
Capacity (CAP)	B-35
Cart Track (AP010)	A-10
Catalytic Cracker (AC020)	A-2
Causeway (AQ064)	A-11
Cave (DB030)	A-30
Cay (BD122)	A-22
Cease-Fire Line (FA030)	A-35
US-Cemetery UK-Cemetery/Graveyard (AL030)	A-7
Certainty of Delineation (COD)	B-42
Certainty of Existence (COE)	B-42
Chain/Wire (BD074)	A-21
Channel (BH191)	A-26
Channel Edge (BB007)	A-16
Channel Number (CHL)	B-40
Channel Type (CHT)	B-40
Character of Light (COL)	B-42
Checkpoint (AH070)	A-4
Chimney/Smokestack (AF010)	A-3
Circular Irrigation System (AJ010)	A-4
Cistern (BI010)	A-26
Claim Line (FA040)	A-35
Class of Rapids (CLR)	B-41
Classification Name (NA3)	B-111
US-Cleared Way/Cut Line/Firebreak UK-Cleared Way/Firebreak (EC040)	A-34
Cliff Dwelling (AL040)	A-7
Coastline (BA011)	A-15
Coastline/Shoreline (BA010)	A-15
Collection Attribute Category (CAC)	B-35

**DIGEST Part 4**

Edition 2.1, September 2000

Annex C-Alphabetized Content Listing of all Features and Attributes

<b>Feature/Attribute</b> .....	<b>Page</b>
Color Code Category (CCC)	B-36
Color Code Remarks (CCR)	B-37
Color Intensity Category (CIC)	B-40
Color of Navigation Mark Classification (MAR)	B-94
Color Pattern Category (PAT)	B-121
Common Open Water (SA010)	A-44
Communication Building (AT050)	A-13
Communication Lines Isolation (CLI)	B-41
Communication Tower (AT080)	A-13
Complex Outline (AL045)	A-7
Complex Terminal Route (GA047)	A-38
Conical Outer Horizontal Transitional Surface (7:1) (GA076)	A-40
Conical Surface (20:1) (GA074)	A-39
Conspicuous Category (COC)	B-41
Constriction/Expansion (AQ058)	A-11
Constriction/Expansion Category (CCA)	B-35
Contact Zone (FA041)	A-35
Contour Line (Land) (CA010)	A-29
Contour Polygon (Land) (CA040)	A-29
Contour Type Category (COT)	B-42
Control Point Attribute (CPA)	B-42
Control Point/Control Station (ZB035)	A-46
Control Tower (AQ060)	A-11
Conveyor (AF020)	A-3
Cooling Tower (AF030)	A-3
Country Code (FIPS Pub 10-4) (NA4)	B-111
Covered Drain Attribute (CDA)	B-37
Covered Drain Length (CDL)	B-37
Covered Drainage (SA060)	A-44
Crane (AF040)	A-3
Crane Mobility Type (CRM)	B-43
Crane Type Category (CRA)	B-43
Crevice/Crevasse (DB060)	A-30
Crib (BD020)	A-21
Cropland (EA010)	A-33
US-Crossing UK - Crossing/Level Crossing (AQ062)	A-11
Crossing Category (CRC)	B-43
Crossing Control Category (CSC)	B-44
Cultural Feature Density (CFD)	B-39
Culvert (AQ065)	A-11
Culvert Type Category (CTC)	B-45
Cumulative Track Length (CTL)	B-45

<b>Feature/Attribute</b> .....	<b>Page</b>
US-Current Diagram UK-Tidal Stream Diagram (BG040)	A-24
US-Current Flow UK-Current Flow/Tidal Stream Direction (BG010)	A-23
Current Information (1) (HS1)	B-72
Current Information (2) (HS2)	B-73
Current Rate (Speed) (CRS)	B-44
Current Rate Maximum (CRX)	B-44
Current Rate Minimum (CRN)	B-44
Current Type Category (CUR)	B-45
Cut (DB070)	A-30
Cut/Embankment Type Category (CET)	B-38
Dam Face Type (DFT)	B-50
Dam or Weir Type (DWT)	B-53
Dam/Weir (BI020)	A-27
Date End (DTE)	B-52
Date of report (WDT)	B-189
Date Start (DTS)	B-53
Decontamination Pad (GB160)	A-42
Deep Water Route (FC166)	A-37
Defacto Boundary (FA060)	A-35
Defined Water (FC167)	A-37
Demilitarized Zone (FA070)	A-35
Density Measure (% of Kelp Cover) (DMK)	B-51
Density Measure (% of Roof Cover) (DMR)	B-51
Density Measure (% of Tree/Canopy Cover) (DMT)	B-51
Density Measure (Brush/Undergrowth) (DMB)	B-50
Density Measure (Feature Count) (DMF)	B-50
Density Measure (Structure Count) (DMS)	B-51
Density of Woody Vegetation Range (DRW)	B-52
Depot (Storage) (AM010)	A-9
Depression (DB080)	A-30
Depth Area (BE019)	A-23
Depth Below Surface Level (DEP)	B-49
Depth Contour (BE015)	A-23
Depth Curve (BE010)	A-22
Depth Curve or Contour Value (CRV)	B-44
Depth Curve or Contour Value High (CVH)	B-46
Depth Curve or Contour Value Low (CVL)	B-46
Depth of Water (1) (DW1)	B-53
Depth of Water (2) (DW2)	B-53
Depth Range Value 1 (DR1)	B-51
Depth Range Value 2 (DR2)	B-52
Depth Range With greater than 1 meter resolution - Value 1 (DR3)	B-52

**DIGEST Part 4**

Edition 2.1, September 2000

Annex C-Alphabetized Content Listing of all Features and Attributes

<b>Feature/Attribute</b> .....	<b>Page</b>
Depth Range With greater than 1 meter resolution - Value 2 (DR4)	B-52
Depth to Water Table (YWT)	B-197
Derived Obstacle Height/Depth Category (OHD)	B-117
Description of Aids to Navigation (DAN)	B-49
Description of Reference Point (DRP)	B-52
Diagnostic Point (ZB040)	A-46
Diffuser (AB021)	A-2
Direction of Current (IHO) (D60)	B-46
Direction of Current (1) (IHO) (D61)	B-46
Direction of Current (2) (IHO) (D62)	B-46
Direction of Current (3) (IHO) (D63)	B-46
Direction of Current (4) (IHO) (D64)	B-46
Direction of Current (5) (IHO) (D65)	B-46
Direction of Current (6) (IHO) (D66)	B-47
Direction of Current (7) (IHO) (D67)	B-47
Direction of Current (8) (IHO) (D68)	B-47
Direction of Current (9) (IHO) (D69)	B-47
Direction of Current (10) (IHO) (D70)	B-47
Direction of Current (11) (IHO) (D71)	B-47
Direction of Current (D80)	B-47
Direction of Current (1) (D81)	B-47
Direction of Current (2) (D82)	B-48
Direction of Current (3) (D83)	B-48
Direction of Current (4) (D84)	B-48
Direction of Current (5) (D85)	B-48
Direction of Current (6) (D86)	B-48
Direction of Current (7) (D87)	B-48
Direction of Current (8) (D88)	B-48
Direction of Current (9) (D89)	B-48
Direction of Current (10) (D90)	B-49
Direction of Current (11) (D91)	B-49
Direction of Flow (DOF)	B-51
Direction of Lateral Buoyage (BC102)	A-20
Direction of Traffic - 1 (DF1)	B-49
Direction of Traffic - 2 (DF2)	B-49
Direction of Traffic - 3 (DF3)	B-49
Direction of Traffic - 4 (DF4)	B-50
Directivity (DIR)	B-50
US-Discolored Water UK-Discoloured Water (BD030)	A-21
US-Disk/Dish UK-Disk Aerial/Dish Aerial (AT010)	A-13
Displaced Threshold (GB090)	A-42
Displaced Threshold Distance in Feet (DTF)	B-52

<b>Feature/Attribute</b> .....	<b>Page</b>
Displaced Threshold Distance in Metres (DTM)	B-53
US-Display Sign UK-Display Sign/Notice Board (AL050)	A-7
US-Disposal Site/Waste Pile UK-Refuse Tip/Slag Heap (AB000)	A-1
Distance Mark (ZB036)	A-46
Disturbed Soil (SA020)	A-44
Ditch (BH030)	A-24
Dolphin (BB080)	A-17
Dragon Teeth (AL060)	A-7
US-Dredge/Powershovel/Dragline UK-Dredger/Powershovel/Dragline (AF050)	A-3
US-Drive In Theater UK-Drive-in Theatre (AK070)	A-5
US-Drive In Theater Screen UK-Drive-in Theatre Screen (AK080)	A-5
Drop Gate Category (DGC)	B-50
Drop Gate/Rolling Block (AQ068)	A-11
Drove (AP060)	A-10
US-Drydock UK-Dry Dock (BB090)	A-17
Drying Line, Low Water Line-LWL (BE021)	A-23
Dyke Crown (BA051)	A-16
Early Warning Radar Site (AT020)	A-13
Eddies (BD040)	A-21
Educational Building Type (EBT)	B-54
Electric Tension (ETN)	B-55
Electrical Power Capacity (EPW)	B-55
Electronic Depth (EDP)	B-54
Elevation Accuracy (ELA)	B-54
Elevation of Light (EOL)	B-55
Ellipsoid Height in Feet – High End (EHF)	B-54
Ellipsoid Height In Feet – Low End (ELF)	B-55
Ellipsoid Height In Metres – High End (EHM)	B-54
Ellipsoid Height in Metres – Low End (ELM)	B-55
Embankment/Fill (DB090)	A-30
Engine Test Cell (AF060)	A-3
Entrance/Exit (AQ090)	A-11
Esker (DB100)	A-30
Exhibition Grounds (AK091)	A-5
Existence Category (EXS)	B-55
Exposed Bedrock (SA030)	A-44
Exposition of Sounding (SOU)	B-155
Fabrication Type (FTP)	B-61
US-Fairgrounds UK-Fairground (AK090)	A-5
Fan (DB230)	A-31
Farming Type Category (FTC)	B-60
Fault (DB110)	A-31

**DIGEST Part 4**

Edition 2.1, September 2000

Annex C-Alphabetized Content Listing of all Features and Attributes

<b>Feature/Attribute</b> .....	<b>Page</b>
Feature Configuration (FCO)	B-57
Feature Element Orientation (FEO)	B-58
Feature Identification Number (UID)	B-175
Feature Rate (FTR)	B-61
Feature Vertical Orientation (FVO)	B-61
Feed Lot/Stockyard/Holding Pen (AJ030)	A-4
Fence (AL070)	A-7
Fence Type Indicator (FTI)	B-61
Fender (BB198)	A-18
Ferry Crossing (AQ070)	A-11
Ferry Crossing Length (FCL)	B-57
Ferry Crossing Times (FCT)	B-58
US-Ferry Site UK-Ferry Station (AQ080)	A-11
Ferry Type (FER)	B-58
Fiducial Points (ID020)	A-43
Filtration Beds/Aeration Beds (BH040)	A-24
Firing Range Type (FRT)	B-60
Firing Range/Gunnery Range (FA015)	A-35
Fish Hatchery/Fish Farm/Marine Farm (BH050)	A-24
Fish Ladder (BI060)	A-27
US-Fish Stakes UK-Fishing Stakes (BB100)	A-17
Fish Traps/Fish Weirs (BB110)	A-17
Fishing Facility (BD079)	A-21
Fishing Facility Classification (FFC)	B-59
US-Fishing Harbor UK-Fishing Harbour (BB105)	A-17
Fishing Pier/Promenade Pier (AK190)	A-6
Flagstaff/Flagpole (AL073)	A-7
Flare Pipe (AF070)	A-3
Flight Level 1 (FL1)	B-60
Flight Level 2 (FL2)	B-60
Flight of Steps (AQ150)	A-12
Floating Dock (BB199)	A-18
Flood Barrage (BI043)	A-27
Flooded Area (BH091)	A-25
Floodlit Illumination (FLT)	B-60
Flume (BH060)	A-24
Fog Detector (FDT)	B-58
Fog Signal (BC101)	A-20
Ford (BH070)	A-25
Foreshore (BA020)	A-15
Foreshore (Precise IHO) (BA023)	A-15
Forest (EC015)	A-33

<b>Feature/Attribute</b> .....	<b>Page</b>
Fortification (AH050)	A-4
US-Foul Ground UK-Foul (BD050)	A-21
Fountain (BH075)	A-25
Frequency of Signal (FRQ)	B-60
Fuel Facilities Available (FFA)	B-58
Gallery (AL075)	A-7
Gantry (AL080)	A-7
Gap Width Range (1) (GW1)	B-64
Gap Width Range (2) (GW2)	B-64
Gap Width Range (3) (GW3)	B-64
Gate (AP040)	A-10
Gate (Nautical) (BI041)	A-27
Gate (Nautical) Classification (GNC)	B-62
Gate Type Category (GTC)	B-64
Gauge Width (GAW)	B-62
Gauging Station (BI070)	A-27
Generation of Fog Signal Category (GEN)	B-62
Geodetic Point (ZB060)	A-46
Geographic Information Point (ZD012)	A-47
Geographic Location Category (GEO)	B-62
Geomorphic Depth (GPD)	B-63
Geomorphic Height (GEH)	B-62
Geophysical Prospecting Grid (FA090)	A-36
Geothermal Feature (DB115)	A-31
Glacier (BJ030)	A-27
Glide Slope Angle (GSA)	B-63
Golf Course (AK100)	A-5
Golf Driving Range (AK101)	A-5
Gradation Works (AA060)	A-1
Gradient/Slope (SGC)	B-148
Grain Bin/Silo (AM020)	A-9
Grain Elevator (AM030)	A-9
Grandstand (AK110)	A-5
Grass/Scrub/Brush (EB015)	A-33
Grassland (EB010)	A-33
US-Grave Marker UK-Grave Marker/Tombstone (AL090)	A-7
Greater Than or Equal To/Less Than Contour Interval (GLI)	B-62
Green Space (AK122)	A-6
US-Gridiron UK-Gridiron/Careening Grid (BB115)	A-17
Groin (BB043)	A-17
Ground Slope Category (GSC)	B-63
Ground Surface Element (DA010)	A-30

**DIGEST Part 4**

Edition 2.1, September 2000

Annex C-Alphabetized Content Listing of all Features and Attributes

<b>Feature/Attribute</b> .....	<b>Page</b>
Group of Signals Definition (GRP)	B-63
US-Gully/Gorge UK-Gullies (DB200)	A-31
Guyed or Unguyed Category (GUG)	B-64
US-Harbor UK-Harbour (BB005)	A-16
US-Harbor Complex UK-Harbour Complex (BB006)	A-16
Harbor Facility Classification (FHC)	B-59
Harbor Identification Code (HID)	B-67
Heating Plant (AD050)	A-2
Hedgerow (EA020)	A-33
Height 2/Depth 2 (HGU)	B-66
Height Above Sea Bottom (HSB)	B-73
Height Above Surface Level (HGT)	B-66
Height Above Surface Level in Feet (HGF)	B-66
Height Range (HTR)	B-73
Helicopter Landing Pad (GB030)	A-40
Heliport (GB035)	A-40
Highest Airspace Height (AV2)	B-12
Highest Airspace Z-value (AZ2)	B-13
Highest level of groundwater (DP1)	B-51
Highest Z-Value (ZV2)	B-198
Highest Z-Value in Feet (ZVF)	B-198
Highest Z-Value with greater than 1 meter resolution (ZV7)	B-198
Hill (DB031)	A-30
Historic Site/Point of Interest (AL201)	A-8
Historical Built-Up Area (AL021)	A-7
Hopper (AF080)	A-3
Hops (EA055)	A-33
Horizontal Clearance Attribute (HCA)	B-65
Horizontal Clearance Code (HCC)	B-65
Horizontal Datum (HZD)	B-74
Horizontal Datum Classification (HOD)	B-68
Hospital Capacity (HSC)	B-73
House of Worship Type (HWT)	B-74
Hulk (BD181)	A-22
Hulk Type (HLK)	B-67
Hummock (BH077)	A-25
Hut (AL100)	A-7
Hydrographic Depth (HDP)	B-66
Hydrographic Depth/Height Information (HDI)	B-65
Hydrographic Drying Height (HDH)	B-65
Hydrographic Light Type (HLT)	B-68
Hydrographic Origin Category (HOC)	B-68

<b>Feature/Attribute</b> .....	<b>Page</b>
Hydrological Category (HYC)	B-74
Hydrological Form Category (HFC)	B-66
Hypsography Portrayal Category (HQC)	B-71
IALA Aid Category (IAC)	B-81
ICAO Airspace Classification (ICL)	B-82
ICAO Designator (IKO)	B-83
Ice Boom (BB202)	A-18
Ice Classification (ICC)	B-82
Ice Cliff (BJ040)	A-28
Ice Factor (ICE)	B-82
Ice Peak/Nunatak (BJ060)	A-28
Ice Shelf (BJ065)	A-28
Identification Number (IDN)	B-83
ILS Component (GA048)	A-38
ILS Terminal Segment (GA049)	A-39
IMO Adoption Status (IAS)	B-81
Inland Shoreline (BH210)	A-26
Inland Water (BH000)	A-24
Inland Water Elevation (CA035)	A-29
Inland Water Obstruction (IWO)	B-83
Inner Horizontal Surface (GA073)	A-39
INS Alignment Pad (GB170)	A-42
Installation Buoy Classification (IBC)	B-82
Intake (BH011)	A-24
US-Interchange UK-Interchange/Complex Junction (AP020)	A-10
International Date Line (FA110)	A-36
Island (BA030)	A-15
Isogonic Lines (ZC050)	A-46
US-Jetty UK-Training Wall (BB140)	A-18
Junction Connectivity Road (JCR)	B-83
Kelp/Seaweed (BD060)	A-21
Kilovolt Capacity Attribute (KVA)	B-83
Label of Feature (LAB)	B-83
Lagoon/Reef Pool (BH190)	A-26
Lake/Pond (BH080)	A-25
Land Area (DA030)	A-30
Land devoid of vegetation (EE020)	A-34
Land Region (DA031)	A-30
Land Subject to Inundation (BH090)	A-25
Land Use/Land Cover (Vegetation) (EB030)	A-33
Landing Place (BB150)	A-18
Landing Stairs (BB151)	A-18

**DIGEST Part 4**

Edition 2.1, September 2000

Annex C-Alphabetized Content Listing of all Features and Attributes

<b>Feature/Attribute</b> .....	<b>Page</b>
US-Landmark Post/Distance Post UK-Landmark Post/Distance Post/Milestone (AQ100)	A-12
Landslide (DB211)	A-31
Large Isolated Rock, Boulder, or Rocky Formation (DB161)	A-31
Launch Pad (GB040)	A-40
Lead Radial (GA031)	A-38
Leading Light(s) (BC030)	A-19
Leading Line (BC100)	A-20
Ledge (BD119)	A-22
Length of Cab (LEC)	B-85
Length of Gradient (LOG)	B-89
Length of Greater Precision (YLN)	B-196
Length of Range (LOR)	B-89
Length of Range With greater than 1 NM resolution (LRP)	B-89
Length/Diameter (LEN)	B-85
Length/Diameter in Feet (LEF)	B-85
Light (BC040)	A-19
Light Characteristic Category (CHA)	B-39
Light Characteristic Number (LCN)	B-84
Light Function Aeronautical (LFA)	B-85
Light Function Classification (LFC)	B-87
Light Range, Geographical (LVG)	B-90
Light Range, Luminous (LVL)	B-90
Light Range, Nominal (LVN)	B-90
Light Sector (BC060)	A-20
Light Sector Angle (LSA)	B-89
Light Sector Angle Initial (LSI)	B-89
Light Sector Angle Terminal (LST)	B-89
US-Light Standard/Light Support UK-Light Standard/Light Support/Lamp Post (AL110)	A-8
Light Vessel/Lightship (BC070)	A-20
Lighthouse (BC050)	A-20
Lights in Line (BC035)	A-19
Line Associated Features (LAF)	B-83
Line Characteristic (LNC)	B-88
Load Class Type 1 (LC1)	B-84
Load Class Type 2 (LC2)	B-84
Load Class Type 3 (LC3)	B-84
Load Class Type 4 (LC4)	B-84
Location Category (LOC)	B-88
Lock (BI030)	A-27
Lock Basin (BI031)	A-27
Log Boom/Booming Ground (BD071)	A-21
Log Ramp (BB221)	A-19

<b>Feature/Attribute</b> .....	<b>Page</b>
Logging Area (EE010)	A-34
Lookout (AK121)	A-5
Lowest Airspace Height (AV1)	B-12
Lowest Airspace Z-value (AZ1)	B-13
Lowest level of groundwater (DP2)	B-51
Lowest Z-value (ZV1)	B-198
Lowest Z-value With greater than 1 meter resolution (ZV6)	B-198
US-Magnetic Disturbance Area UK-Local Magnetic Anomaly (ZC040)	A-46
Magnetic Pole (ZC051)	A-46
Magnetic Station (BK020)	A-28
Magnetic Variation (MAG)	B-94
Maintenance Facilities Available (MFA)	B-102
Maintenance Status (MAS)	B-94
Mandate Line/Convention Line (FA050)	A-35
Map Boundary (IA010)	A-43
Map Sheet Frame (IE010)	A-43
Map-Info (IE040)	A-43
Maritime Area (FC031)	A-36
Maritime Area Category (MAC)	B-90
Maritime Boundary Limit (MBL)	B-95
Maritime Limit Boundary (FC021)	A-36
Maritime Station/Maritime Signal Station (BB155)	A-18
Maritime Track Type (MTT)	B-110
Marker (BC055)	A-20
Marsh (ED010)	A-34
Marsh/Swamp (BH095)	A-25
Mast (AQ021)	A-10
Mast Type Category (MTC)	B-109
Material Composition Category (MCC)	B-96
Material Composition Secondary (MCS)	B-98
Material Composition Underlying (MCU)	B-100
Material Handling Facilities (MHF)	B-102
Maximum Authorized Altitude (MAA)	B-90
Maximum Vertical Clearance (MVC)	B-110
Measured Distance Line (FC100)	A-36
Median Category (MED)	B-101
Median Width with greater than 1 meter resolution (MWG)	B-110
Military Base (SU001)	A-45
Military Bridge Information (MBI)	B-95
Military Gap Width (WD3)	B-188
Mine (AA010)	A-1
Mine Actuation Classification (MNA)	B-105

**DIGEST Part 4**

Edition 2.1, September 2000

Annex C-Alphabetized Content Listing of all Features and Attributes

<b>Feature/Attribute</b> .....	<b>Page</b>
Mine Actuation Controlled Cableless Classification (MNL)	B-105
Mine Actuation Controlled Classification (MNC)	B-105
Mine Actuation Independent Classification (MNI)	B-105
Mine Actuation Independent Contact Classification (MIC)	B-103
Mine Actuation Independent Influence Acoustic Classification (MIA)	B-103
Mine Actuation Independent Influence Classification (MII)	B-103
Mine Actuation Independent Influence Magnetic Classification (MIM)	B-103
Mine Actuation Independent Other Classification (MIO)	B-104
Mine Attributes Classification (MAT)	B-95
Mine Identity Classification (MID)	B-103
Mine Position Classification (MPC)	B-106
Mine Position Ground Classification (MPG)	B-106
Mine Position Moored Classification (MPM)	B-106
Mine Position Other Classification (MPO)	B-106
Mine Special Information Classification (MSI)	B-108
Mine Special Information Special Devices Anti-Hunting Classification (MSH)	B-107
Mine Special Information Special Devices Anti-Recovery Classification (MSR)	B-108
Mine Special Information Special Devices Anti-Sweep Wire Classification (MSW)	B-109
Mine Special Information Special Devices Classification (MSD)	B-107
Mine Special Information Special Mine Types Classification (MMT)	B-104
Mine Special Information Usefulness Classification (MSU)	B-109
Mine Status Classification (MSC)	B-107
Mine Track Number (MTN)	B-109
Mine-Naval (BD001)	A-20
US-Mineral Pile UK-Mineral Pile/Mineral Tip (AM040)	A-9
Minimum Enroute Altitude (MEA)	B-101
Minimum Obstruction Clearance (MOC)	B-106
Minimum Safe Altitude Sector (AZ3)	B-13
Minimum Traveled Way Width (WD1)	B-188
Mining Category (MIN)	B-104
Miscellaneous (IE020)	A-43
Miscellaneous Air Obstruction (GB221)	A-42
Miscellaneous Obstacle (DB145)	A-31
Miscellaneous Surface Drainage Feature (BH200)	A-26
Miscellaneous Underwater Feature (BD005)	A-21
Miscellaneous Vegetation (EE000)	A-34
Missile Site (AL120)	A-8
Missile Site Type (MST)	B-108
Moat (BH100)	A-25
US-Mobile Home/Mobile Home Park UK-Caravan/Caravan Park/Mobile Home/Mobile Home Park (AI020)	A-4
Mole (BB042)	A-17

<b>Feature/Attribute</b> .....	<b>Page</b>
US-Monument UK-Monument/Folly (AL130)	A-8
Mooring / Warping Facility Classification (MWF)	B-110
Mooring Connection Type (MCT)	B-100
Mooring Mast (AQ110)	A-12
Mooring Ring (BB160)	A-18
Mooring Trot (BB021)	A-16
Mooring/Warping Facility (BB079)	A-17
Moraine (BJ020)	A-27
Morse Code Attribute (MCA)	B-96
Mountain Pass (DB150)	A-31
Mud Line (BE023)	A-23
Multiple Light Ranges (MLR)	B-104
Multiplicity of Lights (MOL)	B-106
Name (NAM)	B-111
Name 3 (NM3)	B-111
Name 4 (NM4)	B-112
Named Location (ZD040)	A-47
National Park (FA080)	A-35
Native Settlement (AL135)	A-8
Native Settlement Type (NAS)	B-111
Nature Reserve (FA081)	A-35
NAVAIDS (Aeronautical) (GA035)	A-38
Navigation Line (BC031)	A-19
Navigation Line Classification (NLC)	B-111
Navigation Mark System (NMS)	B-112
Navigation System Types (NST)	B-114
Navigation System Types (2) (NS2)	B-113
Navigational Mark, Afloat (BC098)	A-20
Navigational Mark, Fixed (BC099)	A-20
Nearshore (Precise IHO) (BA021)	A-15
Network (ZD001)	A-46
Non-submarine Contact Reporting Agency Type (RAG)	B-133
Notice to Mariners Date (NMD)	B-112
Nuclear Reactor (AD040)	A-2
Number of Parallel Lines (NPL)	B-112
Number of Platforms (NOP)	B-112
Number of Spans (NOS)	B-112
Nursery (EA030)	A-33
Oasis (EC020)	A-34
Obstruction (Nautical) (BD070)	A-21
Obstruction Light Quality (OLQ)	B-118
Oceanographic Collection Device (BK030)	A-28

**DIGEST Part 4**

Edition 2.1, September 2000

Annex C-Alphabetized Content Listing of all Features and Attributes

<b>Feature/Attribute</b> .....	<b>Page</b>
Off Route Radial/Bearing (GA030)	A-38
US-Offshore Loading Facility UK-Single Point Mooring (BB170)	A-18
Offshore Platform Classification (OPC)	B-118
Offshore Platform Site (cleared) (BD111)	A-22
Oil Barrier (BD073)	A-21
Oil Barrier Classification (OBC)	B-116
Oil/Gas Facilities (AC040)	A-2
Oil/Gas Field (AA052)	A-1
Operating Range Category (ORC)	B-119
Operating Range Category (2) (OR2)	B-119
Operating Restrictions (ORS)	B-119
Operational Status (OPS)	B-119
Operations Times (OPT)	B-119
Opposite Direction of Flow (ODF)	B-116
Orchard/Plantation (EA040)	A-33
Ordinal Category (ORD)	B-119
Orthometric Height in Feet – High End (OHF)	B-117
Orthometric Height in Feet – Low End (OLF)	B-117
Orthometric Height in Metres – High End (OHM)	B-117
Orthometric Height in Metres – Low End (OLM)	B-118
Outer Horizontal Surface (GA075)	A-40
Over Water Obstruction (OWO)	B-120
Overall Height of Bridge (OHB)	B-116
Overfalls/Tide Rips (BD080)	A-21
Overhead Cable (AT006)	A-13
Overhead Clearance Category (OHC)	B-117
Overhead Clearance Category Code (OCC)	B-116
Overhead Obstruction Category (OOC)	B-118
Overhead Obstruction Location (AL155)	A-8
Overrun/Stopway (GB045)	A-41
Oyster Bed/Mussel Bed (BB180)	A-18
Pack Ice (BJ070)	A-28
Parcel (IA040)	A-43
Park (AK120)	A-5
Particle Accelerator (AL140)	A-8
Pedestrian Capacity (PCU)	B-122
Pedestrian Rate (PDR)	B-122
Penstock (BH110)	A-25
Percentage Content (PCC)	B-122
Percentage Reliability of a Qualitative Attribute (QUL)	B-133
Perches/Stakes (BC080)	A-20
Period of Light (PER)	B-123

<b>Feature/Attribute</b> .....	<b>Page</b>
Periodic Date End (PDE)	B-122
Periodic Date Start (PDS)	B-122
Periodic Restriction Beginning (PR1)	B-126
Periodic Restriction Category (PRC)	B-126
Periodic Restriction Ending (PR2)	B-126
Permanency (PRM)	B-127
Permanent Snowfield (SA040)	A-44
Physical State Category (PST)	B-131
Physical Surface Characteristics (PSC)	B-130
Picnic Site (AK061)	A-5
Pictorial Representation (PIC)	B-124
Pier-Wharf-Quay Face Type (FAC)	B-57
Pier/Wharf /Quay Classification (PWC)	B-132
US-Pier/Wharf/Quay UK-Pier/Wharf/Quay/Jetty (BB190)	A-18
Pile Classification (PLC)	B-124
Pile/Piling/Post (BD100)	A-21
Pilot Boarding Place Classification (PBP)	B-121
Pilot Boarding Vehicle (PBV)	B-121
Pilot District (PIL)	B-124
Pingo (BD121)	A-22
Pipeline Type (PLT)	B-124
Pipeline/Pipe (AQ113)	A-12
Pit (AA013)	A-1
Platform (BD110)	A-22
Plaza/City Square (AL170)	A-8
Point Abeam (GB058)	A-41
Point Abeam Type (PAB)	B-120
Point of Change (ZD015)	A-47
Point of Change Identifier (PCI)	B-122
Point of Interest (POI)	B-125
Polar Ice (BJ080)	A-28
Pond Partition (FC035)	A-36
Pond Partition Category (POP)	B-125
Pontoon (BD072)	A-21
Populated Place Category (PPL)	B-125
Populated Place Type (PPT)	B-125
Port Facility (SU003)	A-45
Port Index (WPI)	B-192
Position Evaluation (PEV)	B-123
US-Potential Landslide Area UK-Landslide/Scree (DB210)	A-31
US-Power Plant UK-Power Station (AD010)	A-2
Power Plant Category (PPC)	B-125

**DIGEST Part 4**

Edition 2.1, September 2000

Annex C-Alphabetized Content Listing of all Features and Attributes

<b>Feature/Attribute</b> .....	<b>Page</b>
Power Transmission Line (AT030)	A-13
US-Power Transmission Pylon UK-Power Transmission Pylon/Pole (AT040)	A-13
Predominant Feature Depth (PFD)	B-123
Predominant Feature Depth With greater than 1 meter resolution (PFE)	B-123
Predominant Feature Height (PFH)	B-123
Predominant Feature Height With greater than 1 meter resolution (PFG)	B-123
Predominant Height (PHT)	B-124
Predominant Height (10 m Range) (PH4)	B-123
Predominant Vegetation Height Range (1) (VH1)	B-185
Predominant Vegetation Height Range (2) (VH2)	B-186
Predominant Vegetation Height Range (3) (VH3)	B-186
Prepared Raft or Float Bridge Site (AQ111)	A-12
Primary Approach Transitional Surface (7:1) (GA072)	A-39
Primary Approach Transitional Surface Section Number (PAN)	B-121
Primary Display Mode (XPD)	B-195
Primary Surface (GA070)	A-39
Primary Surface Section Number (PSN)	B-131
Processing Plant/Treatment Plant (AC000)	A-2
Product Category (PRO)	B-127
Production Installation (BD112)	A-22
Protected Water, Gathering Ground (FA082)	A-36
Publication Reference (PBR)	B-121
Pump Out Facility (BB200)	A-18
Pumping Station (AQ116)	A-12
Quadrant Identifier (QUD)	B-132
Quality of Position (QUA)	B-132
Quality of Vertical Measurement (VEM)	B-185
Quality/Source Record Identifiers (QID)	B-132
Quarry (AA012)	A-1
Quarry/Mine Shear Wall (AA011)	A-1
US-Race Track UK-Race Track/Race Course (AK130)	A-6
Radar Line (BC032)	A-19
Radar Range (BC033)	A-19
Radar Reference Line (FC130)	A-37
Radar Reflector Attribute (REF)	B-135
Radar Station Classification (RAS)	B-134
Radar Transmitter (AT045)	A-13
Radar Transponder Beacon Classification (RTB)	B-140
Radar Transponder Beacon Frequency (RFQ)	B-136
Radar Wave Length (RWL)	B-141
Radio Station Classification (ROS)	B-138
Radius of Sharp Curve (RAD)	B-133

<b>Feature/Attribute</b> .....	<b>Page</b>
Rail Siding/Spur Attribute (RSA)	B-139
Railhead (AN065)	A-10
US-Railroad UK-Railway (AN010)	A-9
Railroad Categories (RRC)	B-139
Railroad Gauge Category (RGC)	B-136
Railroad Maximum Axle Load (RMA)	B-137
Railroad Maximum Load (RMT)	B-137
Railroad Power Source (RRA)	B-138
US-Railroad Siding/Railroad Spur UK-Railway Siding/Railway Spur (AN050)	A-9
US-Railroad Switch UK-Railway Points (AN080)	A-10
Railroad Track Arrangement (RTA)	B-140
US-Railroad Turntable UK-Railway Turntable (AN075)	A-10
US-Railroad Yard/Marshalling Yard UK-Railway Yard/Marshalling Yard (AN060)	A-10
Ramp (AL195)	A-8
Ramp (Maritime) (BB220)	A-18
Range Centerline (FC102)	A-37
Range of Effectiveness (RAN)	B-134
Range Significance (RGS)	B-136
Ranking of Feature (RNK)	B-138
Rapids (BH120)	A-25
Rate of Current (IHO) (C60)	B-32
Rate of Current (1) (IHO) (C61)	B-32
Rate of Current (2) (IHO) (C62)	B-32
Rate of Current (3) (IHO) (C63)	B-32
Rate of Current (4) (IHO) (C64)	B-32
Rate of Current (5) (IHO) (C65)	B-32
Rate of Current (6) (IHO) (C66)	B-32
Rate of Current (7) (IHO) (C67)	B-32
Rate of Current (8) (IHO) (C68)	B-33
Rate of Current (9) (IHO) (C69)	B-33
Rate of Current (10) (IHO) (C70)	B-33
Rate of Current (11) (IHO) (C71)	B-33
Rate of Current (C80)	B-33
Rate of Current (1) (C81)	B-33
Rate of Current (2) (C82)	B-33
Rate of Current (3) (C83)	B-33
Rate of Current (4) (C84)	B-34
Rate of Current (5) (C85)	B-34
Rate of Current (6) (C86)	B-34
Rate of Current (7) (C87)	B-34
Rate of Current (8) (C88)	B-34
Rate of Current (9) (C89)	B-34

**DIGEST Part 4**

Edition 2.1, September 2000

Annex C-Alphabetized Content Listing of all Features and Attributes

<b>Feature/Attribute</b> .....	<b>Page</b>
Rate of Current (10) (C90)	B-34
Rate of Current (11) (C91)	B-34
Recommended Track Classification (TRK)	B-170
Recording Date (RCD)	B-135
Reef (BD120)	A-22
Reflection Type Category (RET)	B-135
Releasability (QLE)	B-132
Reliability of Bridge (RBC)	B-134
Religious Denomination (REL)	B-135
Required Port Access (RPA)	B-138
Rescue Station Classification (RSC)	B-139
Reservoir (BH130)	A-25
Reservoir Type (RTP)	B-141
Restricted Area (FC036)	A-36
Revetment (Airfield/Equipment/Facilities ) (GB050)	A-41
Revetment (Shore Protection) (BB226)	A-19
Rice Field (BH135)	A-25
Ridge Line (CA020)	A-29
Rig/Superstructure (AA040)	A-1
Rip Rap (BB225)	A-19
River Bank (BH141)	A-25
River Navigation Route (BH501)	A-26
River/Stream (BH140)	A-25
River/Stream Vanishing Point (BH145)	A-26
Road (AP030)	A-10
Road Interchange Type (RIT)	B-137
Road Type (RDT)	B-135
Road Type Category (RTC)	B-140
Road/Runway Surface Type (RST)	B-139
Rock (BD130)	A-22
Rock Strata Formation (RKF)	B-137
Rock Strata/Rock Formation (DB160)	A-31
Route (Air) (GA045)	A-38
Route (Maritime) (FC165)	A-37
Route Intended Use (RTT)	B-141
Route Marker (AQ119)	A-12
Route Number (RTN)	B-140
Ruins (AL200)	A-8
Runway (GB055)	A-41
Runway End Type (RWT)	B-142
Runway Endpoint (GB056)	A-41
Runway Identifier (RID)	B-136

<b>Feature/Attribute</b> .....	<b>Page</b>
Runway Identifier - High End (RIH)	B-136
Runway Identifier - Low End (RIL)	B-137
Runway Radar Reflector (GB060)	A-41
Safe Horizontal Clearance (SHC)	B-148
Safety Fairway (FC170)	A-37
Salt Evaporator (BH155)	A-26
Salt Pan (BH150)	A-26
Sand Dune Orientation (SDO)	B-144
Sand Dune/Sand Hills (DB170)	A-31
Sand Line (BE022)	A-23
Scrub/Brush/Bush (EB020)	A-33
Sea Area Classification (SEA)	B-145
Sea Floor Feature Category (SFC)	B-147
Seaplane Base (GB065)	A-41
Seaplane Landing/Seaplane Take-Off Area (GB070)	A-41
Seasonal Tent Location (STL)	B-162
Seawall (BB230)	A-19
Sebkha (BH160)	A-26
Second Name (NA2)	B-110
Secondary Material Characteristics (CSM)	B-44
Secondary Route Number (RN2)	B-138
Sector Limit 1 (SC1)	B-143
Sector Limit 2 (SC2)	B-143
Security Classification (SEC)	B-146
Sequence of a Signal (SEQ)	B-147
Service Branch (YSU)	B-196
Settlement (AL105)	A-7
Settling Basin/Sludge Pond (AC030)	A-2
Severity of Hazard (SOH)	B-154
Shape of Beacon (SHP)	B-148
Shape of Top Mark (TOP)	B-169
US-Sharp Curve(s) UK-Sharp Bend(s) (AQ118)	A-12
Shed (AL019)	A-6
Sheerlegs (Shear Legs) (AF041)	A-3
Shelter Belt Condition (SBC)	B-143
Shipping Load Class (SLC)	B-150
Shoreline (BA024)	A-15
Shoreline Category (SHO)	B-148
Shoreline Construction (BB081)	A-17
Shoreline Type Category (SLT)	B-150
Shoulder (GB057)	A-41
Signal Station, Traffic Classification (SIT)	B-149

**DIGEST Part 4**

Edition 2.1, September 2000

Annex C-Alphabetized Content Listing of all Features and Attributes

<b>Feature/Attribute</b> .....	<b>Page</b>
Signal Station, Warning Classification (SAW)	B-142
Single Wheel Bearing Load (SWL)	B-165
Siphon (AJ020)	A-4
Ski Jump (AK150)	A-6
Ski Track (AK155)	A-6
Slaved Variation (Declination) (SVA)	B-165
Slipway/Patent Slip (BB240)	A-19
Slope Category (DB176)	A-31
Slope Gradient Left (1) (SL1)	B-149
Slope Gradient Left (2) (SL2)	B-150
Slope Gradient Orientation (SGO)	B-148
Slope Gradient Right (1) (SR1)	B-156
Slope Gradient Right (2) (SR2)	B-156
Slope Polygon (SA050)	A-44
Slope Polygon Range (SPR)	B-155
Sluice (BI039)	A-27
Sluice Gate (BI040)	A-27
Small Craft Facility (BB201)	A-18
US-Snags/Stumps UK-Snags/Submerged Stumps (BD140)	A-22
Snow Field/Ice Field (BJ100)	A-28
Snow Shed/Rock Shed (AL210)	A-8
Snow/Ice Category (SIC)	B-149
Soil Depth Category (SDC)	B-144
Soil Depth With Greater Precision (SDE)	B-144
Soil Trafficability Group (Derived from STP) (STG)	B-162
Soil Types (STP)	B-163
Soil Wetness Condition (SWC)	B-165
Solar Panels (AD020)	A-2
Sound Signal Type (SST)	B-160
Sounding (BE020)	A-23
Sounding Category (SND)	B-154
Sounding Velocity (SVC)	B-165
Source of report (WSR)	B-193
Source Type Code (STC)	B-162
Span Length Longest (SPL)	B-155
Spatial Alignment (XSA)	B-196
Special Use Airspace (GA015)	A-38
Special Use Airspace Altitude Limits (SUA)	B-164
Special Use Airspace Segment (GA025)	A-38
Speed Limit (KPH) (SPM)	B-155
Speed Limit (MPH) (SPD)	B-155
Spillway (BH165)	A-26

<b>Feature/Attribute</b> .....	<b>Page</b>
Spot Elevation (CA030)	A-29
Spot Elevation Category (SPE)	B-155
Spring/Water Hole (BH170)	A-26
Spring/Well Characteristic Category (SCC)	B-143
US-Stadium/Amphitheater UK-Stadium/Ampitheatre (AK160)	A-6
Standard Deviation of a Qualitative Attribute (QUT)	B-133
Standardized Attribute Values (SAV)	B-142
Station (Miscellaneous) (AQ125)	A-12
Station Type Category (Maritime) (STA)	B-161
Steep Grade (AQ120)	A-12
US-Steeple UK-Steeple/Spire (AL220)	A-8
Stem Diameter Size (SDS)	B-145
Stem Diameter Size Range (1) (SD1)	B-143
Stem Diameter Size Range (2) (SD2)	B-144
Stem Diameter Size With greater than 1 meter resolution (SDR)	B-145
Storage Bunker/Storage Mound (AM060)	A-9
Storage Container (AM011)	A-9
Storage Facilities (SFA)	B-147
Structure Shape Category (SSC)	B-158
Structure Shape of Roof (SSR)	B-160
Substation/Transformer Yard (AD030)	A-2
US-Subway UK-Underground Railway/Metro (SU002)	A-45
Summer Tree Cover Density (STR)	B-164
Summer Tree Cover Density Code (STQ)	B-163
Supervision of Light (SUP)	B-164
Surface Material Category (SMC)	B-150
Surface Roughness Description (SRD)	B-156
Surface Roughness Qualifier (SRQ)	B-158
Surficial Material Depth Category (SM1)	B-150
Survey Category (SUR)	B-164
Survey Date - End (SUE)	B-164
Survey Date - Start (SUS)	B-164
Swamp (ED020)	A-34
Swept Area (FC177)	A-37
Swimming Pool (AK170)	A-6
Tailored Surface Roughness Description (TSR)	B-172
Tank (AM070)	A-9
Taxiway (GB075)	A-41
Technique of Sounding Measurement (TEC)	B-166
Telepheric (AT041)	A-13
Telephone Line/Telegraph Line (AT060)	A-13
Telephone-Telegraph Pylon/Pole (AT070)	A-13

**DIGEST Part 4**

Edition 2.1, September 2000

Annex C-Alphabetized Content Listing of all Features and Attributes

<b>Feature/Attribute</b> .....	<b>Page</b>
Telescope (AL141)	A-8
Telescope Category (TEL)	B-166
Tennis Court(s) (AK050)	A-5
Test Area (FA100)	A-36
Text Attribute (TXT)	B-174
Text Description (ZD045)	A-47
Theodolite Line (FC101)	A-37
Tidal/Non-Tidal Category (TID)	B-167
US-Tide Data Point UK-Tidal Stream Observation Station (BG030)	A-24
Tide Gauge (BG020)	A-24
Tideway (BG011)	A-24
Timber Yard (AM031)	A-9
Time Attribute (TIM)	B-167
Tonnage (TNG)	B-169
Top Mark Characteristic (TMC)	B-167
Topline of cliff (DB501)	A-32
Topmark (BC110)	A-20
Total Length (TLN)	B-167
Total Usable Width (WD2)	B-188
Touchdown Zone (GB046)	A-41
Touchdown Zone Elevation in Feet - High End (TZH)	B-174
Touchdown Zone Elevation in Feet - Low End (TZL)	B-174
Touchdown Zone Elevation in Metres - High End (THM)	B-167
Touchdown Zone Elevation in Metres - Low End (TLM)	B-167
Tower (General) (AL241)	A-8
Tower (Non-Communication) (AL240)	A-8
Tower Type Category (TTC)	B-172
Track Line (BE040)	A-23
Track Swath (BE030)	A-23
Track/Lane Number (LTN)	B-90
Traffic Flow (TRF)	B-170
Traffic Scheme Part (TSP)	B-171
Traffic Separation Scheme (TSS) (FC041)	A-36
Traffic Separation Scheme Classification (TSS)	B-172
Traffic Separation Scheme System (FC040)	A-36
US-Trail UK-Trail/Footpath (AP050)	A-10
Training Area (FA165)	A-36
Transmission Line Suspension (TST)	B-172
Transportation Use Category (TUC)	B-173
Traversability (TRA)	B-169
Tree Canopy Levels (TCL)	B-166
Tree Spacing Category (TSC)	B-171

<b>Feature/Attribute</b> .....	<b>Page</b>
Tree Spacing Range (1) (TS1)	B-170
Tree Spacing Range (2) (TS2)	B-171
Tree Spacing Range (3) (TS3)	B-171
Tree Spacing With greater than 1 meter resolution (TSD)	B-171
Tree Type Category (TRE)	B-170
Trees (EC030)	A-34
Trench (AH020)	A-4
Trough (BH175)	A-26
Tundra (BJ110)	A-28
Tunnel (AQ130)	A-12
Tunnel Cross-Section (TCS)	B-166
Tunny (Tuna) Nets Area (BB111)	A-17
Type of Benchmark (Airfield) (TY3)	B-174
Underbridge Clearance Category (UBC)	B-174
Underbridge Clearance With Greater Precision (UBD)	B-175
Underground Bunker (AH060)	A-4
Underground Dwelling (AL250)	A-9
Underground Water/Phreatic Water (BH115)	A-25
Underlying Material Characteristics (UMC)	B-175
Undermined Land (DB220)	A-31
US-Underwater Danger/Hazard UK-Underwater Danger (BD000)	A-20
Units (UNI)	B-176
Unmonumented Point (ZB031)	A-46
Urban Street Pattern (USP)	B-179
Usage (USE)	B-176
UTM Grid Easting (UT2)	B-180
UTM Grid Northing (UT1)	B-180
UTM Grid Zone (1) (UZ1)	B-180
UTM Grid Zone (2) (UZ2)	B-180
UTM Square Identification (UTS)	B-180
Valley Bottom Line (CA025)	A-29
Value (VAL)	B-180
Variation Anomaly Value (VAV)	B-181
Variation anomaly value with greater than 1 degree resolution (VA1)	B-180
Vegetation Characteristics (VEG)	B-183
Vegetation Roughness Category (VRC)	B-186
Vehicle Capacity (Number of Vehicles) (VEC)	B-183
US-Vehicle Stopping Area/Rest Area UK-Vehicle Stopping Area/Rest Area/Lay By (AQ135)	A-12
US-Vehicle Storage/Parking Area UK-Vehicle Storage/Parking Area/Car Park/Boat Park (AQ140)	A-12
Vertical (Sounding) Datum Category (VDC)	B-182

**DIGEST Part 4**

Edition 2.1, September 2000

Annex C-Alphabetized Content Listing of all Features and Attributes

<b>Feature/Attribute</b> .....	<b>Page</b>
Vertical Clearance, Closed (VCC)	B-181
Vertical Clearance, Closed With greater than 1 meter resolution (VC1)	B-181
Vertical Clearance, Opened (VCO)	B-182
Vertical Clearance, Opened With greater than 1 meter resolution (VC2)	B-181
Vertical Clearance, Safe (VCS)	B-182
Vertical Clearance, Safe With greater than 1 meter resolution (VC3)	B-181
Vertical Obstruction Identifier (VOI)	B-186
Vertical Reference Category (VRR)	B-187
Vineyards (EA050)	A-33
Visibility of Light (VIS)	B-186
Visual Reflector Status (VRF)	B-187
Void Collection Area (ZD020)	A-47
Void Collection Attribute (VCA)	B-181
Void Collection Type (VCT)	B-182
Volcanic Dike (DB190)	A-31
Volcanic Geologic Type (VGT)	B-185
Volcano (DB180)	A-31
Wall (AL260)	A-9
Wall Type Identifier (WTI)	B-195
Waste Processing Facility (AB030)	A-2
Waste/Scrap Type Category (WSC)	B-193
Water (Except Inland) (BA040)	A-15
Water Depth Average (WDA)	B-188
Water Depth Mean (Seasonal High Water) (YDH)	B-196
Water Depth Mean (Seasonal Low Water) (YDL)	B-196
Water Intake Tower (BI050)	A-27
Water Level Effect (WLE)	B-191
Water Quality Attribute (YWQ)	B-197
Water Tower (AM080)	A-9
Water Turbulence (BG012)	A-24
Water Velocity Average (WVA)	B-195
Water Velocity Average 1 (WV1)	B-195
Water Velocity Mean (Seasonal High Water) (YVH)	B-197
Water Velocity Mean (Seasonal Low Water) (YVL)	B-197
Waterfall (BH180)	A-26
Watering Place (BB250)	A-19
Waypoint Description Code (WPT)	B-192
Waypoint/Reporting-Calling In Point (GA055)	A-39
Weather Type Category (WTC)	B-194
Well (AA050)	A-1
Well Feature Type (WFT)	B-189
Well/Spring Feature Type (SWT)	B-165

<b>Feature/Attribute</b> .....	<b>Page</b>
Wellhead (AA051)	A-1
Wet Gap Width (WD4)	B-188
Width (WID)	B-189
Width Bottom (WD6)	B-188
Width in Feet (WGF)	B-189
Width of Crest (WOC)	B-191
Width of Second Traveled Way (WT2)	B-194
Width Top (WD5)	B-188
Width with greater than 1 meter resolution (WGP)	B-189
US-Wind Indicator UK-Wind Indicator/Wind Sock (GB080)	A-41
Windmill (AJ050)	A-4
Windmotor (AJ051)	A-4
Winter Tree Cover Density Code (WTR)	B-195
Work in Progress Category (WPC)	B-191
Works (AC050)	A-2
Wreck (BD180)	A-22
Wreck Classification (WRK)	B-192
Wreck Number (WRN)	B-193
Wreck Type (WKT)	B-190
Wrecking Yard/Scrap Yard (AB010)	A-1
Zone of Occupation (FA170)	A-36
Zoo/Safari Park (AK180)	A-6

**DIGEST Part 4**

Edition 2.1, September 2000

Annex C-Alphabetized Content Listing of all Features and Attributes

[This page intentionally left blank]