

SECTG - Secondary Targeting Information

SECTG contains a list of secondary targets tasked in the original collection and may not be present in a derived image. Target information in exploited/derived imagery is contained in PIATG. PIATG should be used instead of SECTG for actual target information in exploited and derived imagery. The format and description for the user-defined fields of the SECTGA are detailed in Table 1, below. As many as 250 SECTGA extensions can exist in a single NSIF file, with the N_SEC field of EXOPTA or EXPLTA providing the total count. Either SEC_ID, SEC_BE, or both must contain a valid identifier.

TABLE 1 SECTGA – SECONDARY TARGETING INFORMATION EXTENSION FORMAT

R = REQUIRED, C = CONDITIONAL, <> = BCS SPACES ALLOWED FOR ENTIRE FIELD

| Field | Name | Size | Value Range | Units | Type |
|---|--|------|--------------|-------|------|
| CETAG | Unique Extension Identifier. | 6 | SECTGA | N/A | R |
| CEL | Length of Entire Tagged Record. | 5 | 00028 | bytes | R |
| <i>The following fields define SECTGA</i> | | | | | |
| SEC_ID | Designator of Secondary Target | 12 | alphanumeric | | <R> |
| SEC_BE | <u>Basic Encyclopedia ID</u> of secondary target, including the OSUFFIX (target designator). | 15 | alphanumeric | | <R> |
| (reserved-001) | | 1 | 0 | | R |